



P551670

LUBE FILTER, SPIN-ON FULL FLOW

Why Choose Donaldson Lube Filters?

Donaldson lube filters are designed to keep today's engine lube systems functioning at peak performance.

- Keep oil clean by capturing contaminants that cause engine damage.
- Include heavy duty components that are built to perform, built to last.
- Deliver essential engine protection for maximum cold flow performance.

Attributes

| | |
|---------------------|---------------------|
| Outer Diameter | 4.65 inch (118 mm) |
| Thread Size | 1 1/2-12 UN |
| Length | 10.24 inch (260 mm) |
| Gasket OD | 4.33 inch (110 mm) |
| Gasket ID | 3.86 inch (98 mm) |
| Efficiency 99% | 21 micron |
| Efficiency Test Std | SAE J1858 |
| Media Type | Cellulose |
| Collapse Burst | 149 psi (10.3 bar) |

| | |
|---------------------|-----------------|
| Type | Full-Flow |
| Style | Spin-On |
| Primary Application | CUMMINS 3313279 |

Packaged Dimensions

| | |
|-----------------|-----------------|
| Packaged Length | 0.118872 M |
| Packaged Width | 0.118872 M |
| Packaged Height | 0.25908M |
| Packaged Weight | 1.2836664071 KG |
| Packaged Volume | 0.0036925168 M3 |

Other Information

| | |
|-------------------|--------------|
| Country of Origin | Poland |
| NMFC Code | 069100-08 |
| HTS Code | 8421230000 |
| UPC Code | 742330043875 |

The information contained herein is general in nature and may not reflect actual information regarding the part at time of shipment. Parts may originate in more than one country – the actual country of origin and HS Code will be reflected on the Commercial Invoice(s) that accompanies the goods.